Particle Size Distribution and Optical Volume Scattering Function in the Mid and Upper Water Column of Optically Deep Coastal Regions: Transport from the Bottom Boundary Layer

J. H. Trowbridge Woods Hole Oceanographic Institution Woods Hole, MA 02543

phone: 508-289-2296 fax: 508-457-2194 e-mail: jtrowbridge@whoi.edu

Award #N00014-99-1-0213

http://www.whoi.edu/science/AOPE/cofdl/jtrow.html

LONG-TERM GOALS

The long-term goal of this project is to understand the processes that contribute to the establishment of the vertical structure of suspended sediment size-distribution and concentration with the bottom boundary layer acting as the principal source. This is a joint research project with Y. C. Agrawal, of Sequoia Scientific, Incorporated.

OBJECTIVES

In the HYCODE experiment, the focus is on understanding the processes that establish the color of the water. Besides dissolved substances, a principal factor determining the spectral signature of the water-leaving radiance is the particulate content of the water column. The source for particulate in shallow water (though optically deep) is the bottom boundary layer, and subsequent diffusion and advection by processes that include upwelling. The objective in this program is to examine the relative importance of these processes by simultaneously observing the vertical distribution of particles, and the advective-diffusive mixing processes. Simultaneously, the instruments that measure particle size-distribution will also provide measurements of the small-angle volume scattering function of water at the wavelength of the diode lasers, 0.67 micron.

APPROACH

Measurements of suspended sediments (size distribution and concentration) shall be carried out throughout the water column using a LISST-100 instrument on a profiler. In addition, 2 LISST-100 instruments will measure the same parameters from a bottom-mounted tripod. The settling velocity distribution of the particles - a key parameter that establishes the diffusion-settling balance - shall be measured using a LISST-ST instrument. The 'reference concentration' of sediments - concentration at a small distance above the bed - will be observed with an MSCAT (Miniature Scattering and Transmissometry Instrument). These constitute the set for sediments. The velocity field will be measured with a set of velocimeters mounted on the tripod. All sensors will be

maintaining the data needed, and c including suggestions for reducing	lection of information is estimated to completing and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding an DMB control number.	ion of information. Send comment arters Services, Directorate for Inf	s regarding this burden estimate formation Operations and Reports	or any other aspect of the property of the contract of the con	his collection of information, Highway, Suite 1204, Arlington
1. REPORT DATE 30 SEP 1999	2. REPORT TYPE		3. DATES COVERED 00-00-1999 to 00-00-1999		
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER	
Particle Size Distribution and Optical Volume Scattering Function in the Mid and Upper Water Column of Optically Deep Coastal Regions: Transport from the Bottom Boundary Layer				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Woods Hole Oceanographic Institution, Woods Hole, MA,02543				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAIL Approved for publ	LABILITY STATEMENT ic release; distributi	ion unlimited			
13. SUPPLEMENTARY NO	OTES				
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFIC		17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON	
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	3	REST ONSIBLE FERSON

Report Documentation Page

Form Approved OMB No. 0704-0188 synchronized. Data will be stored on-board the instruments and transmitted to shore via the node at the site.

WORK COMPLETED

In this first year of the program, the principal work is to complete instrument preparation. This is proceeding. To take advantage of an early opportunity, a LISST-100 instrument suitable for use on a profiler, and the profiler were constructed. The instruments were installed to transmit data on the node at Rutgers University's LEO-15 site, off the New Jersey coast.

Work on the preparation of the other sediment sensors and velocimeters is continuing. A field experiment is planned for the summer of 2000.

Initial analysis of the vertical structure of water-column size-distribution will be carried out shortly.

RESULTS

At this early stage in the program, there are no results from this work.

IMPACT/APPLICATIONS

Again, due to the early nature of this report, there are no impacts to be reported from this work.

TRANSITIONS

None.

RELATED PROJECTS

In a program funded by NSF, Trowbridge and Agrawal are examining the rate and kinematics of the dissipation variable in the lowest few centimeters of the bottom boundary layer. This region, the wave boundary layer, is the most critical in determining resuspension or settling of particles. Similar sediment sensors as in use in this program will also be employed, besides a laser dissipation rate sensor.

In the ONR-funded Coastal and Mixing Optics (CMO) Program, Trowbridge and Agrawal are working on measurement and interpretation of turbulence statistics and on analysis of LISST particle size measurements, respectively. The insights obtained from CMO will be used in the present project.

PUBLICATIONS

Agrawal, Y.C., and Pottsmith, H. C. Instruments for particle size and settling velocity observations in sediment transport. *Mar. Geol.* (submitted).

- Agrawal, Y.C., Traykovski, P. and Williams, A. J. Particles in the bottom boundary layer: concentration and size dynamics through events. *J. Geophys. Res.* (submitted).
- Shaw, W. J. and Trowbridge, J. H. Measurement of near-bottom turbulent fluxes in the presence of energetic wave motions. J. Atmos. Oceanic Technol. (submitted).
- Shaw, W. J., Trowbridge, J. H. and Williams, A. J. Budgets of turbulent kinetic energy and scalar variance in the continental shelf bottom boundary layer. *J. Geophys. Res.* (submitted).